

BID TABULATION

Item Description: Replace Motor at Hwy 14 Well

Date: 08/21/2017

Budget Amount:

	Flynn Troy, Mo					
	\$21,348.75					



Invoice

P.O. Box 265
Troy MO 63379

(636) 528-6137
www.flyndrilling.com

Date	Invoice #
8/11/2017	5073

Bill To

City of West Plains
P.O. Box 710
West Plains, MO 65775

Service Location
Well #1-4

Please check box if address is incorrect or has changed, and indicate change(s) above.

Balance Due	\$21,348.75
--------------------	--------------------

Flynn Drilling Company

PLEASE DETACH AND RETURN TOP PORTION WITH YOUR PAYMENT

P.O. Box 265
Troy MO 63379

Terms
Net 30


P.O. No.	Project	Rep

Description	Qty	Rate	Amount
Hitachi 100hp 460v 3ph Motor		14,376.00	14,376.00
5" Break-off Plug	3	60.00	180.00
Splice	1	120.00	120.00
1/4" Airline	1,286	0.25	321.50
Setting Material - Band & Buckles, Tape, Chlorine	1	475.00	475.00
Overnight	2	375.00	750.00
Fuel	1	300.00	300.00
Labor Hour	19.5	275.00	5,362.50
Less Maintenance Discount	1	-536.25	-536.25

Payment is due upon receipt. Accounts not paid within 30 days of the date of the invoice are subject to a 1.5% monthly finance charge.

Credit card payments are subject to a 2% convenience fee.

Total	\$21,348.75
Sales Tax (8.475%)	\$0.00
Payments/Credits	\$0.00
Balance Due	\$21,348.75



FLYNN DRILLING COMPANY


COMPLETE WATER SERVICES

SUBMERSIBLE PUMP

Date: 8-1-17

Customer: City of West Plains

Well ID#: 12 Hwy 14



Motor:

Manufacturer Hitachi OD 8"
 HP 100 Volts 480 Phase 3 RPM 3525
 Running Volts 492 490 491
 Running Amps 108 109 108
 Model Number UTI
 Serial Number G2634904H
 Data Code D17C

Pump:

Manufacturer Grundfos OD 6"
 Model 475S1000-9
 Stages 9
 Performance 450 gpm @ 590 tdh @ 3525 rpm
 Construction S/S

Setting Construction:

Column Setting To Bowl Assembly 630' ft.
 Column Size & Material 5" Galv.
 Cable Size & Type 2/1 Flat
 Check Valve Type S/S VFD Flomatic
 Check Valve Locations 609 ft. 399 ft. 210 ft. _____ ft.
 Do Checkvalves Have Breakoffs Yes
 Airline Length & Material 643 ft. Of 1/4" Poly
 Pump Discharge Nipple 5" in. X 12 in. Of S/S
 Notations _____

Well Information:

Well Depth 1000' ft.
 Casing Depth & Size 444 ft. Of 10" in.
 SWL 333 ft. DD 60 ft. PL 393 ft.
 Line Pressure 0 lbs.

Special Comments: _____